


LF 16 mm Laundry Tag

Product Code: LXX2131

Laundry Tag is the rugged tag designed for laundry and linen management. This RFID tag is designed to meet all requirements in terms of pressure, heat, and chemical resistance in the applications of contactless tracking of garments in textile rental and dry cleaning.



Tag Dimensions



Floatwicel Coocific	ations	
Electrical Specific	ations	
Air Interface Protocol	ISO/IEC 11784/85	
Operational Frequency**	125kHz (134.2kHz on request)	
Chip**	EM4305	
	512-bit EEPROM organized in 16 words of 32 bit	
	 32-bit unique identifier (UID) 32-bit Password read and write protection Lock feature converts EEPROM words into Read Only Two data encodings: Manchester and Bi phase 	
Read Range*	Up to 35 mm on GIS TS-RW 38 Plus Reader	
Operating temperature	-40°C to +80°C	
Storage temperature	-40°C to +120°C	
Ingress protection rating	IP68	
Attachment***	Riveting Screw	
Applicable surface	Fabric, Plastic, Wooden	
Expected Lifetime	Up to 5 Years in Normal Operating Conditions	
Physical and Mec	hanical Specification	
Product Name	Laundry tag with hole	Laundry tag without hole
Product Code	L102131	L092131
Diameter	Ø16 ±0.2 mm	Ø16±0.2 mm
Thickness	3.5 mm max	3.4 mm max
Hole Diameter	1.50±0.1 mm	N/A
Weight	1 gm	1 gm
Encasement	PPS	

Chemical Resistance

Quality Assurance

Colour**

Resistant to continuous exposure to salt water for 2 hours

100% reader tested

White/Black

Resistant to continuous exposure to motor oil for 2 hours

Additionally, abrasion resistant against HCL and IPA

Additional Services

Pre-encoding	On request
Customization***	Logo / text printing on request

Order Information

L092131	With EM 4305 (without Hole)
L092171	With EM 4200 (without Hole)
L092055	With NXP HitagS 256 (without Hole)
L102131	With EM 4305 (with Hole)

*	Actual read range may vary depending upon the reader
**	Other on request
***	Available as an option at extra cost

