


## FASTag (Tamperproof)

Product Code: U41X2815

Fastag windshield Tag is the UHF Gen2 Tamperproof ARAI approved long range passive tag. It is ideal for National Electronic Toll Collection (NETC), automatic Vehicle identification (AVI), Transportation application and electronic vehicle Registration, Parking & Security Access application etc.



### Tag Dimensions



## Electrical Specifications

Air Interface Protocol	ISO/IEC 18000-6C, EPC Global C1G2
Operational Frequency	860 – 960 MHz
Chip	Alien Higgs-3
Memory Configuration	EPC–96 bits, extendible to 480bits
	TID – 96 bits unalterable unique
	User memory – 512 bits
	Access password – 32 bits
	Kill password – 32 bits
Data retention	50 years
Write endurance	100,000 Cycles
Read Range*	Upto 10 meter on fixed reader with linear antenna
Operating temperature	-20°C to +80°C
Storage temperature	-40°C to +100°C
Relative Humidity	95% Condensing
Attachment***	Self Adhesive
Applicable surface	Windshield glass
UV Resistant	Yes


## Physical and Mechanical Specification

Dimensions	100 x 50 ± 0.2 mm
Antenna Material	Printed Aluminium antenna
Adhesive tape	High strength adhesive
Colour**	As per NPCI guidelines for each vehicle class
Quality Assurance	100% reader tested

## Chemical Resistance

Resistant to continuous exposure to salt water for 2 hours
Resistant to continuous exposure to motor oil for 2 hours
Additionally, abrasion resistant against HCL and IPA

## Linear Frequency Graph



## Additional Services

Pre-encoding	On request
Customization***	Logo / text printing on request

## Order Information

U41D2815	Vehicle Class 4, Alien higgs-3 chip, Global frequency
U41C2815	Vehicle Class 5, Alien higgs-3 chip, Global frequency
U4172815	Vehicle Class 6, Alien higgs-3 chip, Global frequency
U4162815	Vehicle Class 7, Alien higgs-3 chip, Global frequency
U41E2815	Vehicle Class 12, Alien higgs-3 chip, Global frequency
U41G2815	Vehicle Class 15, Alien higgs-3 chip, Global frequency
U41H2815	Vehicle Class 16, Alien higgs-3 chip, Global frequency

- \* Actual read range may vary depending upon the reader
- \*\* Other on request
- \*\*\* Available as an option at extra cost

### Omnia Technologies Pvt. Ltd.

Corporate Office  
Plot No. 145, Udyog Vihar Phase 1, Gurugram, Haryana-122016, INDIA

Manufacturing Unit  
Plot No. 68, Sector-5, IMT Manesar, Gurugram, Haryana-122050, INDIA | +91(124)4366174, 4366411,+91(124)4366410 (Fax)