


UHF Mini Asset Tag

Product Code: U2932710

Mini Asset tag is the UHF Gen2 long range passive tag. It is very suitable for it asset tracking and other metallic & non-metallic assets where the conditions are not harsh.




Tag Dimensions



Electrical Specifications		
Air Interface Protocol	ISO/IEC 18000-6C, EPC Global C1G2	
Operational Frequency	865 – 868 MHz or 902 – 928 MHz	
Chip	Alien Higgs-3	
Memory Configuration	EPC-96 bits, extendible to 480bits	
	TID – 96 bits unalterable unique	
	User memory – 512 bits	
	Access password – 32 bits	
	Kill password – 32 bits	
Read Range*	Up to 3 m on fixed Reader with linear antenna	
Operating temperature	-25°C to +70°C	
Storage temperature	-25°C to +70°C	
Ingress protection rating	IP54	
Attachment***	Self Adhesive	
Applicable surface	Metallic & Plastic objects	
Physical and Mecl	nanical Specification	
Dimensions	48 x 34 x 4.3 ± 0.2 mm	
Colour	White	
Weight	6.25 g	
Encasement	HIPS (High impact plastic sheet)	
Quality Assurance**	100% reader tested	
Chemical Resistan	ice	
Resistant to continuous exp	posure to salt water for 2 hours	
Resistant to continuous exposure to motor oil for 2 hours		
Additionally, abrasion resistant against HCL and IPA		

Linear Frequency Graph



Additional Services

Pre-encoding	On request
Customization***	Logo / text printing on request

Order Information

U2932710-EU	Alien higgs-3 chip tuned at ETSI frequency
U2932710-US	Alien higgs-3 chip tuned at US frequency
U2932712-EU	Alien higgs-4 chip tuned at ETSI frequency
U2932712-US	Alien higgs-4 chip tuned at US frequency

* Actual read range may vary depending upon the reader

** Other on request

*** | Available as an option at extra cost